



"We Stand for Water Saving"

KLUG

Bathroom & Kitchen Fittings

GERMAN TECHNOLOGY MADE IN UAE UP TO 75 % WATER SAVING



CONTENTS

	PETRA	12 -15	
	SWING	16 -19	
	PROFILE STAR	20 -29	
	PASSION	30 -35	
	PACIFIC	36 -39	
	PRIME	40 -45	
	HARMONY	46 -49	
	PROJECT	50 -55	
	PEARL	56 -59	
	POLARIS	60 -67	
11-2	PEAK	68 -75	
	PIVOT	76 -77	
	POLO	78 -81	
<u> </u>	PREMIER X	82 -87	



KLUDI RAK is a limited liability company founded in 2007 as a joint venture between the high profile German bathroom and kitchen fittings manufacturer KLUDI and RAK Ceramics - one of the world's largest ceramic manufacturers.

KLUDI RAK is headquartered in the Emirate of Ras Al Khaimah and manufactures high quality bathroom fittings with timeless and modern design. Combined with the best German technology and quality ensuring processes, modern European machines and proven understanding of the local market, KLUDI RAK provides long lasting bathroom fittings - which satisfy many customers in the Middle East, South Asia and Africa. In order to constantly guarantee the high standards of our products, we use components that are carefully selected and sourced from well-established European suppliers. Additionally, every piece leaving our factory is controlled by very well trained, highly skilled and experienced employees to ensure a German quality standard.





in a production workshop in Germany. The idea evolved from KLUDI's core mission, to make every household innovative and add value to the lives of people in the community.

KLUDI are the experts in bathroom and kitchen fittings and total bathroom solutions. With almost 100 years of experience in the design of fittings, the design experts blend shape and function to create a spectrum of precision-perfect products. KLUDI's exclusive product portfolio of fittings is unique in

design and conserves water & energy. Reputed for their aesthetic styles, functionality and sustainable features, KLUDI fittings continue to be a source of

inspiration even today.

The humble origins of a successful business conglomerate - KLUDI dates back to 1926, where the concept of quality and sustainable bath fittings for the user's comfort and convenience took shape

To cater to the quality-conscious customers in the United Arab Emirates and the Middle East and their requirements for elegant and functional quality fittings, RAK Ceramics, the world's largest ceramic manufacturer in collaboration with KLUDI Germany, the world-leaders in mixers, showers and accessories established KLUDI RAK in the Emirate of Ras Al Khaimah.

Together with KLUDI RAK's 15 years of regional expertise, skilled craftsmen, a manufacturing unit equipped with advanced European technology and backed by KLUDI's 9 decades of expertise in kitchen and bath fittings, KLUDI RAK has all the strengths combined to design and manufacture premium water-efficient products that are durable and consistent in quality

KLUDI RAK fittings are the preferred product of choice for commercial, industrial, residential sectors and hospitality across UAE. Moreover are recommended by architects, interior decorators and project planners. KLUDI RAK is thus poised to offer top-notch kitchen and bathroom products to its valued customers in UAE and the Middle East.

UPHOLDING
THE HERITAGE
OF QUALITY
SINCE
10

1926





















PERFECTING PRECISION FITTINGS THROUGH TECHNOLOGY





QUALITY REFLECTS IN EVERY DETAIL

Makers of beautifully crafted, high quality kitchen and bathroom products KLUDI RAK is a brand to reckon with. Strategically located in the Emirate of Ras Al Khaimah, KLUDI RAK upholds the brand promise by consistently delivering top-grade products to its loyal customers.

Accredited with various certifications for quality, conformity and promoting sustainability, the state-of-the-art manufacturing plant of KLUDI RAK integrates the latest European technical innovations in its development process, while adhering to sustainable practices by creating energy and water saving products, besides having superior quality raw materials procured from Europe to maintain consistency in the quality of the products at all times; ultimately, the finest range of bathroom and products are directly supplied from the KLUDI RAK factory across GCC, the Middle East, Africa and Indian subcontinent.



















SAVE WATER FOR FUTURE GENERATIONS



ADDED ADVANTAGES

- · Maximum lime resistance.
- Maximum lifespan.
- Perfect stream quality even under different flow conditions.
- · Very low noise level.
- Damage proof: unlike Conventional wire mesh screens, it can't be crushed.
- Integrated anti clogging dome screen -which filters sediments and particles.
- Constant flow rate as per requirements can be achieved irrespective of input pressure.

75% SAVE UP TO OF TAP WATER











70490298

for public area Basin Mixer, Sink Mixer & Ablution Tap: ~1.4 L /min





for public area Basin Mixer, Sink Mixer & Ablution Tap: ~1.9 L /min.





Water saver for Basin Mixer, Sink Mixer & Ablution Tap: ~3 .8 L / min.



Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.















Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.



11






RAK37000-**

Single lever basin mixer DN 15 ceramic cartridge-K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817











RAK37028


Single lever side basin mixer DN 15 Ceramic cartridge -K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817







Available Finishes





RAK37004


Single lever sink mixer DN 15 Ceramic cartridge - K35 swivelling (360) spout I = 180 mm PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817







Available Finishes






RAK37001

Single lever bidet mixer DN 15 Ceramic cartridge - K35 ball joint PCA aerator M 18.5 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817






Available Finishes



RAK37002

Single lever bath and shower mixer DN 15 Ceramic cartridge -K35 without shower set PCA aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower connection 1/2 inch protected against back flow S-unions 1/2 x 3/4 inch European standard - EN 817









Available Finishes



RAK37003


Single lever shower mixer DN 15 Ceramic cartridge - K35 flow class B shower connection 1/2 inch protected against back flow S-unions 1/2 x 3/4 inch European standard - EN 817







Available Finishes











Available Finishes

RAK37076

Concealed single lever Bath & Shower Mixer trim set

RAK38737 Pre-installation kit DN 15











RAK37079

Concealed single lever shower mixer trim set

SWING



ERGONOMICALLY DESIGNED FOR CONVENIENCE

The Swing series is a symbolic design representing a figure that extends its two arms to embrace and contact. This dynamic and uniquely shaped series is designed for the users' convenience and comfort.

The Swing model releases water similar to a cascade effect. And is a reflection of quality, functionality & distinctiveness at its best.

Available Finishes







16




Single lever basin mixer DN 15 ceramic cartridge-K35 S-pointer PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes




RAK16021

Single lever high raised basin mixer DN 15 ceramic cartridge-K35 S-pointer PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817





Available Finishes






RAK16001

Single lever bidet mixer DN 15 ceramic cartridge-K35 PCA cache aerator M 16.5 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes





RAK16002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 S-pointer aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch





RAK16003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes













RAK16075

Concealed single lever Bath & Shower Mixer trim set

RAK38636 Pre-installation kit DN 15









RAK16076

Concealed single lever Bath & Shower Mixer trim set

RAK38737

Pre-installation kit DN 15











Concealed single lever shower mixer trim set

PROFILE STAR

PICTURE PERFECT MATCH FOR THE DISCERNING

The Profile star collection is a perfect match for your choice of style and convenience.

The KLUDI RAK Profile collection showcases well-defined perfect bath fittings that match the taste of every discerning customer. Geometric contours and accented facets are the primary inspirational elements featured in the Profile star series. Ergonomically designed with excellent quality craftsmanship, the handle of the faucet reflect a cubic shape with rounded edges lent it a unique visual appeal.

Available Finishes










Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard - EN 817







Available Finishes





RAK14160


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK14161


Single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817







Available Finishes






RAK14124

Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 230 mm without pre-installation kit item no. RAK38243






Available Finishes





RAK38243

Pre installation kit DN 15





RAK14101

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 ¼ inch European Standard - EN 817











Available Finishes





Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K41 S-pointer aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817

Available Finishes





RAK14105

Single lever shower mixer DN 15 ceramic cartridge-K41 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard - EN 817







Available Finishes



RAK14114


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch European standard- EN 817







Available Finishes














Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15





RAK14176

Concealed single lever Bath & Shower Mixer trim set

RAK38737 Pre-installation kit DN 15









RAK14179

Concealed single-lever shower mixer trim set








Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817







Available Finishes





RAK14060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes



RAK14061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817







Available Finishes




RAK14001

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





Available Finishes





RAK14002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K41 S-pointer aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes




RAK14005

Single lever shower mixer DN 15 ceramic cartridge-K41 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





Available Finishes



RAK14014


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch European standard- EN 817







Available Finishes









Available Finishes

RAK14075

Concealed single-lever bath& shower mixer trim set

RAK38636 Pre-installation kit DN 15





Available Finishes

RAK14076

Concealed single lever Bath & Shower Mixer trim set

RAK38737

Pre-installation kit DN 15





RAK14079

Concealed single-lever shower mixer trim set

PASSION

CLASSIC STYLE WITH ENHANCED FLEXIBILITY

A flawless synergy of geometric shapes that blends with all bathroom styles, mixers from the Passion is designed to offer maximum flexibility. The shower fittings have a sleek and flat hand-held shower that releases gentle & steady flow of water similar to the falling rain. Furthermore showering becomes an invigorating experience. The Kitchen mixer comes with a spout that can revolve 360 degrees, creating ample space within the sink.



Available Finishes








Single Lever Basin Mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2"high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK13060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK13061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817








Available Finishes





RAK13028

Side Single Lever Basin Mixer DN 15 ceramic cartridge-K35 swivelling spout-(360°) PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK13024

Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 230 mm without pre-installation kit item no. RAK38243





Available Finishes







RAK13070

floor standing Mixer for free standing wash basin single lever basin mixer DN 15, ceramic cartridge with hot water safety device PCA aerator M 24 X 1










Available Finishes

88088

Concealed unit body for free standing wash basin





Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 pop up waste 1 1/4 inch European Standard - EN 817





RAK13002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K41 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch





RAK13102

Single lever bath & shower mixer DN 15 (Top Lever) without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard - EN 817





RAK13005


Single lever shower mixer DN 15 ceramic cartridge-K41 Flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch








Available Finishes





RAK13012

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 210 mm PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard- EN 817









RAK13075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15









Concealed single lever Bath & Shower Mixer trim set

RAK38737 Pre-installation kit DN 15







RAK13079

Concealed single-lever shower mixer trim set




PACIFIC



RAK38000

Single lever basin mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817

Available Finishes






RAK38001

Single lever bidet mixer DN 15 Ceramic cartridge - K35 PCA cache aerator M 16.5 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes






RAK38002

Single lever bath and shower mixer DN 15 Ceramic cartridge -K35 without shower set PCA aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S-unions $1/2 \times 3/4$ inch European standard - EN 817





Available Finishes





RAK38003


Single lever shower mixer DN 15 Ceramic cartridge - K35 flow class B shower outlet G 1/2" protected against back flow S-unions $1/2 \times 3/4$ inch European standard - EN 817







Available Finishes





RAK38004


Single lever side sink mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817







Available Finishes







Available Finishes

RAK38076

Concealed single lever bath and shower -mixer trim set

RAK38737 Pre-installation kit DN 15










RAK38079

Concealed single lever shower mixer trim set




Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817











RAK12001


Single lever high raised basin mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817








Available Finishes





RAK12028


Side Single lever basin mixer DN 15 ceramic cartridge-K35 with swivelling spout cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 11/4 European standard- EN 817





RAK12031

electronic controlled basin mixer DN 15 with 6 V Lithium Battery single hole mounted magnet-cartridge unit, with mixing shaft with control handle cache aerator M 16.5 x 1 flow class A optical object-registration rapid installation set flexible high pressure supply tubes 1/2" inch with integrated back flow preventer









Available Finishes



RAK12032


electronic controlled XL basin mixer DN 15 with 6 V Lithium Battery single hole mounted magnet-cartridge unit, with mixing shaft with control handle cache aerator M 16.5 x 1 flow class A optical object-registration rapid installation set flexible high pressure supply tubes 1/2"inch with integrated back flow preventer








Available Finishes
















PRIME



RAK12003

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes



RAK12004

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes



RAK12008

Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817









Available Finishes





RAK12012

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°)spout I=215 mm PCA cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817













Available Finishes

RAK12075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15





Available Finishes

RAK12076

Concealed single-lever bath & shower mixer trim set

RAK38737 Pre-installation kit DN 15






Available Finishes

RAK12079


Concealed single-lever shower mixer trim set



HARMONY DYNAMIC SYMPHONY OF FORM & FUNCTIONALITY Contemporary style combined with functionality is what makes the Harmony mixers really unique. The exceptional features of the Harmony series include swivel cascade aerators that offer highly flexible solutions for both bath and kitchen. With Harmony in your homes, comfort and convenience is guaranteed.




Single lever basin mixer DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK15001


Single lever bidet mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK15002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 flow straightener M 24 X 1 automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817 free flow straightner





RAK15003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK15004

Single lever sink mixer DN 15 ceramic cartridge-K35 aerator M 24 x 1 swivelling (360°) spout I = 200 mm 1/2 " high presssure flexible hose with PEX tubes European standard EN 817





RAK15075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK15076

Concealed single lever Bath & Shower Mixer trim set

RAK38737 Pre-installation kit DN 15




RAK15079

Concealed single-lever shower mixer trim set






Single lever basin mixer DN 15 ceramic cartridge K-35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK11060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK11001


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - to EN 817





RAK11002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK11005

Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK11075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK11076

Concealed single lever Bath & Shower Mixer trim set

RAK38737 Pre-installation kit DN 15




RAK11079

Concealed single-lever shower mixer trim set




Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817





RAK11009

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817








PEARL

Extravagant and yet natural at the same time - that is the beauty of Pearl. These highly contemporary fittings provide a winning combination of innovative technology and cascade aerator. The cascade aerator in both basin and bath resembles the natural flow of water in the wild.




Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817




RAK17060

Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK17041


basin mixer DN 15 3 hole deck mounted solid levers ceramic head part 90°, Right and Left PCA aerator M 24 x 1 rapid installation set click clack






RAK17061

single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817




RAK17001

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817




RAK17002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817



RAK17003

Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK17050


Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817







Available Finishes





RAK17075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15




Concealed single-lever bath & shower mixer trim set

RAK38737 Pre-installation kit DN 15




RAK17079

Concealed single-lever shower mixer trim set






Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817





RAK10021


POLARIS STAR - Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK10060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK10061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK10023


Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 $\mathsf{flow}\;\mathsf{class}\;\mathsf{Z}$ wall outlet 180 mm without pre-installation kit item no. RAK38243






RAK38243

Pre installation kit DN 15






Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817




RAK10002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class DB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817



RAK10003

Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817



RAK10024

Single lever shattaf mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" S- unions 1/2 X 3/4 inch European standard- EN 817






Available Finishes




RAK10050

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817




RAK10014

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817






Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817





RAK10028SU

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 186 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817






RAK10008

** Refer to the Page Number 154 for Flow Rate requirement

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817





RAK10076

Concealed single-lever bath & shower mixer trim set

RAK38737 Pre-installation kit DN 15



RAK10079

Concealed single-lever shower mixer trim set






PEAK DISTINCTIVE DESIGN THAT IS TRULY AFFORDABLE




Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817



RAK18001


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK18060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK18028


Side Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817





RAK18061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK18023

Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 180 mm without pre-installation kit item no. RAK38243




RAK38243

Pre installation kit DN 15




Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" S- unions 1/2 X 3/4 inch European standard- EN 817





RAK18002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK18004

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817





RAK18072

Single lever sink mixer DN15 single hole mounted, swivel spout (360°) pull-out hand spray automatic diverter: jet/spray Double clip quick connector with back flow preventer












RAK18008


Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 24 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817





RAK18032

Shower mixer with Dual shower system L-shape L = 1175 mm wall fastening hand and head shower with divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1600mm with fixing kit swivel head shower





RAK18076

Concealed single-lever bath shower mixer trim set

RAK38737 Pre-installation kit DN 15



RAK18079

Concealed single-lever shower mixer trim set


RAK38828 Pre-installation kit DN 15



PEAK MEDICARE HAS BEEN DESIGNED TO BE OPERATED EASILY BY FOREARM OR ELBOW. THIS AVOIDS THE NEED FOR HAND CONTACT AND THE CONSEQUENT RISK CONTAMINATION




Medicare single lever basin mixer DN 15 solid clinic lever K36 ceramic cartridge with hot water safety device PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch pop up waste 1 1/4 inch European Standard- EN 817






RAK18071

Medicare single lever basin mixer HR DN 15 solid clinic lever K36 ceramic cartridge with hot water safety device PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch European Standard- EN 817



RAK18073


wall mounted medicare single lever basin mixer solid clinic lever K36 ceramic cartridge with hot water safety device PCA aerator M 24 x 1 European Standard- EN 817








Single lever basin mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817




RAK39001

Single lever bidet mixer DN 15 ceramic cartridge-K35 cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK39002


Single lever bath and shower mixer DN 15 Ceramic cartridge -K35 without shower set PCA aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S-unions 1/2 x 3/4 inch European standard - EN 817





RAK39003

Single lever shower mixer DN 15 Ceramic cartridge - K35 flow class B shower outlet G 1/2" protected against back flow S-unions $1/2 \times 3/4$ inch European standard - EN 817





RAK39076

Concealed single lever bath and shower -mixer trim set

RAK38737 Pre-installation kit DN 15



RAK39079

Concealed single lever shower -mixer trim set

RAK38828 Pre-installation kit DN 15

OLO

SHAPED TO ADD VALUE TO EVERYDAY LIFE


Noteworthy for its everyday practical applications, the Polo series from KLUDI RAK is a must-have in every household. Equipped with a looped handle design, Polo mixers are ingeniously shaped and easy to operate. The entire array of Polo products are durable, highly functional, and offer good value for money.





RAK30030


POLO Eco- Single lever basin mixer DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK30001


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK30040


POLO STAR Eco - Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817






RAK30060

Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817






single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817



RAK30002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK30003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2"protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK30029


Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 230 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817





RAK30014


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2 " high pressure flexible hose with PEX tubes European Standard - EN 817





RAK30029SU


Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 210 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817





RAK30008

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817





RAK30076

Concealed single-lever bath shower mixer trim set


RAK38737 Pre-installation kit DN 15



RAK30079


Concealed single-lever shower mixer trim set

RAK38828 Pre-installation kit DN 15






Dual controlled basin mixer DN15 swivel spout aerator M 22 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 11/4" European Standard - EN 200





RAK34003


Pillar tap DN15 single hole deck mounted with swivel spout aerator M22 x 1 flow class A marked : blue European standard- EN200





RAK34005


Dual controlled bath and shower mixer DN 15 without shower set aerator M24x1 flow class CB S-unions 1/2 inch x 3/4 inch automatic divertor: shower to bathtub shower outlet 1/2 inch European standard- EN200





RAK34010


Dual controlled shower mixer DN 15 ceramic head part 90 ,Right & Left flow class B shower connection 1/2 inch protected against back flow S-unions 1/2 inch x 3/4 inch in accordance to EN 200





RAK34007


Long Bibcock DN15 marked: blue thread connection 1/2 inch European standard- EN200 aerator M22X1 flow class A





RAK34002


Bibcock DN15 marked : blue Hose union 1/2 inch European standard- EN200






RAK34008

Wall mounted sink tap DN15 marked: blue swivel spout aerator M22x1 flow class A thread connection 1/2 inch European standard- EN200






Dual controlled sink mixer DN15 deck mounted with swivel spout aerator M22 x 1 1/2"high presssure flexible hose with PEX tubes European Standard - EN 200





RAK34001SU


Dual controlled wall mounted sink mixer DN 15 swivel U spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200






RAK34001

Dual controlled wall mounted sink mixer DN 15 swivel spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200










Self Closing Tap - Push type DN 15 push type cache type aerator M16.5x1 minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec with 2mm allen key for time adjustment



RAK50002

Self Closing Mixer DN15 push type 1/2 inch high pressure flexible hose with PEX tubes with cache aerator M16.5x1 minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec with 2mm allen key for time adjustment















RAK50003


Wall Mounted Self Closing Tap Push type DN 15 with S point aerator minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec with 2mm allen key for time adjustment






RAK50004

Concealed valve self closing (outdoor)-DN15 Push type timing device connection 1/2 inch maximum time of water flow 15 sec



PEAK Pull Out Sirk Mixer

SINK MIXER





Single lever sink mixer with pull-out hand spray



Automatic diverter: Jet / Spray

SWIVEL SPOUT (360°) PULL-OUT HAND SPRAY












RAK37004 - PETRA

Single lever sink mixer DN 15 Ceramic cartridge - K35 swivelling (360) spout I = 180 mm PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817









RAK14114 - PROFILE STAR

Single lever sink mixer DN 15 Ceramic cartridge with hot water safety device Ø35 mm swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes







Available Finishes



RAK38004 - PACIFIC

Single lever side sink mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817









European Standard- EN 817







RAK12012 - PRIME

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°)spout I=215 mm PCA cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817



RAK13012 - PASSION

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 210 mm PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard- EN 817



RAK18072 - PEAK PULL OUT

Single lever sink mixer DN15 single hole mounted, swivel spout (360°) pull-out hand spray automatic diverter: jet/spray Double clip quick connector with back flow preventer



RAK10050 - POLARIS

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK17050 - PEARL

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA gerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817







Available Finishes



RAK18004 - PEAK

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK10014 - POLARIS

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817



RAK30014 - POLO

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2 " high pressure flexible hose with PEX tubes European Standard - EN 817



RAK15004 - HARMONY

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 200 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817







RAK11010 - PROJECT

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817

RAK18008 - PEAK

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 24 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817

RAK10028 - POLARIS

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817



RAK10028SU - POLARIS

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 186 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK30029SU - POLO

** Refer to the Page Number 154 for Flow Rate requirement

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I =210 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK34001 - PREMIER X

Dual controlled wall mounted sink mixer DN 15 swivel spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200



RAK11009 - PROJECT

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK10008 - POLARIS

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK30008 - POLO

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK34001SU - PREMIER X

Dual controlled wall mounted sink mixer DN 15 swivel U spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200



RAK34008 - PREMIER X

Wall mounted sink tap DN15 marked : blue swivel spout aerator M22x1 flow class A thread connection 1/2 inch European standard- EN200



RAK34000 - PREMIER X

Dual controlled sink mixer DN15 deck mounted with swivel spout aerator M22 x 1 1/2"high presssure flexible hose with PEX tubes European Standard - EN 200




OVER HEAD SHOWER



RAK45125


Brass Over head shower DN 15 250 mm x 250 mm with cleaning system





RAK45130


Brass Over head shower DN 15 300 mm x 300 mm with cleaning system





RAK45140


Brass Over head shower DN 15 400 mm x 400 mm with cleaning system





RAK45025


Brass Over head shower DN 15 Ø 250mm with cleaning system





RAK45030


Brass Over head shower DN 15 Ø 300mm with cleaning system





RAK45040

Brass Over head shower DN 15 Ø 400mm with cleaning system





RAK14018


Brass Over head shower DN 15 245 mm x 140 mm with cleaning system with ball joint connection 1/2 inch








Available Finishes





RAK22056

ABS Over head shower DN 15 260 mm x 200 mm with cleaning system with ball joint connection 1/2 inch





RAK12014


ABS Over head Shower DN 15, Ø 245 mm with swivel ball joint ½" inch







Available Finishes





RAK12114


ABS Over head Shower DN 15, 250 mm x 250 mm with cleaning system with ball joint connection 1/2 inch















ABS Over head Shower DN 15, Ø 200 mm with swivel ball joint ½" inch





RAK10013


Over head Shower DN 15, Ø 151 mm with swivel ball joint ½" inch





RAK44002


Over head Shower 4S - DN 15, Ø 120 mm with swivel ball joint ½" inch Jet kind : spray/misty/massage/ spray & massage





RAK44001

Over head Shower 4S - DN 15, Ø 85 mm with swivel ball joint ½" inch Jet kind : spray/misty/massage/ spray & massage





RAK12013


Shower arm 400 mm, DN 15 Projection 415 mm with sliding cover plate male thread 1/2 inch

Recommended for all round head shower











RAK12113


Square shower arm 410mm DN15 Projection 388 mm Connection G1/2" inch with sliding cover plate

Recommended for all square head shower











RAK10012

Shower arm 250 mm, DN 15 Projection 255 mm with sliding cover plate male thread 1/2 inch


Recommended for smaller than 250mmØ head shower







Available Finishes






RAK45001

Shower arm 135 mm, DN 15 Projection 135 mm with sliding cover plate male thread 1/2 inch

Recommended to RAK10013, RAK44002, RAK44001



BATH SPOUT




RAK10019

Ceiling Shower arm 500mm, DN 15 Projection 500 mm with sliding cover plate male thread 1/2 inch





Available Finishes



RAK10111


Ceiling Shower arm 200mm, DN 15 Projection200mm with sliding cover plate male thread 1/2 inch







Available Finishes






RAK10011

Ceiling Shower arm 150mm, DN 15 Projection 150 mm with sliding cover plate male thread 1/2 inch





Available Finishes





RAK14008


PROFILE wall spout DN 15 projection 190 mm wall fastening s-pointer aerator M 24 x 1 flow class C







Available Finishes





RAK12007


PRIME Wall spout DN 15 wall projection 160 mm wall fastening cascade aerator M 24 x 1flow class C with sliding cover plate in accordance to EN 200







Available Finishes





RAK10007


POLARIS wall spout DN15 wall fastening aerator M28 X 1 flow class B with sliding cover plate projection 170 mm in accordance to EN 200







Available Finishes





RAK11013


PROJECT wall spout DN15 aerator M 28 x 1 flow class BB automatic diverter: shower to bathtub shower outlet 1/2 inch protected against back flow with sliding cover plate Ø 60 mm projection 170 mm








Available Finishes





RAK15007

HARMONY wall spout DN 15 wall fastening aerator M 24 x 1 flow class C with sliding cover plate projection 165/187 mm in accordance to EN 200




HAND HELD SHOWER




RAK14010

PROFILE - 1S Hand shower flow class A with cleaning system with big size shower spray 130 X130 mm voluminous shower spray from 100 nozzles flow rate 18.9 I/min at 3 bar connection 1/2 inch DN 15



RAK13019


PASSION - 1S Hand shower with cleaning system with big size shower spray Ø137 mm voluminous shower spray from 90 spray nozzles flow rate 18.7 l/min at 3 bar low-aerosol connection 1/2 inch DN 15





RAK40009


1S Hand shower DN15 jet kind : rain shower anti-limescale system 48 spray nozzles connection G1/2" perfect spray pattern fits all standard shower hoses





RAK40008

1S Hand shower DN15 jet kind : rain shower anti-limescale system flow class A 48 spray nozzles connection G1/2" perfect spray pattern fits all standard shower hoses







RAK40014


3S Hand Shower DN 15 Ø 125 mm jet kind: spray/massage/spray & massage







Available Finishes





RAK40015

3S Hand Shower DN 15 jet kind : spray/massage/spray & massage










Available Finishes





RAK6080005


3S Hand Shower DN 15 jet kind : rain shower/soft spray/massage spray





RAK40006

3S Hand Shower DN 15 Ø 120 mm jet kind: spray/massage/spray & massage



SHOWER **ACCESSORIES**



RAK40007*

3S Hand Shower DN 15 Ø 106 mm jet kind : spray/massage/ spray & massage





Available Finishes



RAK40002

4S Hand Shower DN 15 Ø 120 mm

jet kind: spray/misty/massage/spray & massage










Available Finishes





RAK40003

3S Hand held Shower DN 15 Easy open Ø 100 mm


jet kind : spray/massage/ spray & massage








Available Finishes





RAK7310005

1S Hand Shower DN 15 jet kind : rain shower






RAK22182

wall supply with shower holder DN 15 Size:25×25×65mm





Available Finishes





RAK22082


wall supply with shower holder DN15 Size 32X89mm







Available Finishes





RAK22181


wall supply DN15 Size:25×25×57mm







Available Finishes





RAK6054005


Wall supply DN 15 with wall flange connection 1/2 inch







Available Finishes





RAK22180


shower holder DN 15 Size:25×25×55mm














Wall mounted shower holder with screws and dowels





RAK6055105

Wall mount shower holder with screws and dowels










Available Finishes





RAK22030


Wall mounted adjustable shower holder with screws and dowels








Available Finishes





RAK6105605

Logo flex hose DN 15 plastic coated with metal-effect with conical nuts 1/2 x 1/2 inch x 1600mm





RAK22038


Supreme Hose with conical nut G1/2 x 1/2 inch x 1500mm







Available Finishes








3S Shower set L=600 mm

FIZZ

wall bar L = 600 mm wall fastening adjustable to 3 spray patterns volume, booster, linear with cleaning system with ridgeless adjustable shower holder vertically and horizontally adjustable Logo flex hose 1/2 x 1/2 inch x 1600mm FIZZ 3S hand shower with fixing kit with soap dish




1500



RAK62200

1S Shower set L= 680 mm

wall bar with silder horizontally and vertically adjustable jet kind : rain shower with fixing kit 1S hand -held shower with quick lime deposit cleaning system with bright silver hose and conical nuts 1/2 x 1/2 inch x 1500 mm with screws and dowels






RAK14029

3S Shower set L=725 mm

wall bar with acrylic shelf with slider horizontally and vertically adjustable 3S hand-held shower bright silver shower hose jet kind:spray, massage, spray+massage bright silver shower hose 1/2 x 1/2 inch x 1500 mm with conical nuts with screws and dowels with dirt catching sieve






RAK53000

3S Shower set L=700 mm

with horizontally and vertically adjustable slider bright silver shower hose $1/2 \times 1/2$ inch x 1500 mm with conical nuts 3S hand-held shower adjustable to 3-spray jets jet kind : saturating spray / massage spray / misty spray with screws and dowels with soap dish





RAK6761005

1S Shower set L=600 mm

FIZZ

wall bar with floating slider and shower hose shower hose G 1/2" x G 1/2" x 1600 mm with screws and dowels FIZZ 1S Hand-held shower with quick lime deposit cleaning system with soap dish






RAK6063005

1S Shower set L=600mm

PRIME

wall bar with slider horizontally and vertically adjustable jet kind:rain shower with fixing kit 1S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with metal-effect and conical nuts 1/2 x 1/2 inch x 1600 mm with screws and dowels



RAK6064005

1S shower set L = 900 mm




TRIO - 1S

RAK6013105

1S Shower set L=600mm

wall bar with slider horizontally and vertically adjustable jet kind:rain shower with soap dish with fixing kit 1S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with metaland conical nuts 1/2 x 1/2 inch x 1600 mm with screws and dowels



RAK6014105

1S shower set L = 900 mm



TRIO - 4S

RAK42005

4S Shower set L=600mm

with screws and dowels

wall bar with slider horizontally and vertically adjustable jet kind: spray/misty/massage/spray & massage with soap dish with fixing kit 4S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with metaleffect and conical nuts 1/2 x 1/2 inch x 1600 mm









** Refer to the Page Number 154 for Flow Rate requirement








RAK62008 *

3S Shower set L=600 mm

wall bar with floating slider and shower hose jet kind : spray / massage / spray & massage with fixing kit 3S hand -held shower with quick lime deposit cleaning system with hose type supreme hose

and conical nuts 1/2 x 1/2 inch x 1500 mm

with screws and dowels Available Finishes





RAK62010 *


3S Shower set L=600 mm wall bar with floating slider and shower hose vertically adjustable jet kind : spray / massage / spray & massage with fixing kit 3S hand -held shower with quick lime deposit cleaning system with hose type supreme hose and conical nuts $1/2 \times 1/2$ inch x 1500 mm





with screws and dowels


Available Finishes





RAK62001

1S Shower set L=600 mm wall bar with slider horizontally and vertically adjustable jet kind:rain shower with soap dish with fixing kit 1S hand-held shower with quick lime deposit cleaning system with stainless steel hose, and conical nuts 1/2 x 1/2 inch x 1500 mm with screws and dowels






4S Shower set L=600 mm

with screws and dowels

wall bar with slider horizontally and vertically adjustable jet kind: spray/misty/massage/spray & massage with soap dish with fixing kit 4S hand-held shower with quick lime deposit cleaning system with stainless steel hose and conical nuts 1/2 x 1/2 inch x 1500 mm



RAK6061005

PRIME Wall bar L= 600 mm with floating slider shower hose G 1/2" x G 1/2" x 1600 mm with screws and dowels








Available Finishes

RAK6062005


PRIME Wall bar L= 900 mm





RAK62012


bath shower set 1S 1S hand shower DN 15 one spray pattern quick and easy cleaning system with dirt catching sieve supreme shower hose G1/2 x G1/2 x 1500 mm with conical nuts with shower holder for shower hoses with conical nuts for rigid wall mounting





ECO 4S **RAK40022E**

Bathtub set jet kind: spray/misty/massage/spray & massage shower connection G 1/2 shower hose 1/2" x 1/2" x 1600 mm Adjustable holder with screws and dowels








Available Finishes



RAK62006


Bathtub set jet kind: spray/massage/spray & massage shower connection G 1/2 logo flex Hose1/2x1/2inchx1600mm Adjustable holder with screws and dowels












RAK62005

Bathtub set jet kind: spray/misty/massage/ spray & massage shower connection G 1/2 shower hose 1/2" x 1/2" x 1500 mm Adjustable holder with screws and dowels




jet kind: rain shower shower connection G 1/2shower hose 1/2" x 1/2" x 1500 mm Adjustable holder with screws and dowels





ECO 1S **RAK7310025E**


Bathtub set jet kind: rain shower shower connection G 1/2 shower hose 1/2" x 1/2" x 1600 mm Adjustable holder with screws and dowels





RAK7310015


Bathtub set jet kind:rain shower shower connection G 1/2 shower hose 1/2" x 1/2" 1600 mm fixed holder with screws and dowels








Shower mixer with Dual shower system L-shape
L = 1175 mm
wall fastening
hand and head shower
with divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically
adjustable shower holder
shower hose
1/2 x 1/2 inch x 1600mm
with fixing kit
swivel head shower



116 KLUDI RAK




Shower mixer with Dual shower system L-shape L = 1175 mm wall fastening hand and head shower with divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1600mm with fixing kit swivel head shower



RAK48003


Dual shower system L-shape L = 1160 mm wall fastening hand and head shower two way ceramic divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm





RAK48100


Dual shower system L-shape with adjustable L = 1250 mm wall fastening hand and head shower two way ceramic diverter with 1S hand held shower 1/2 inch rigideless adjustable shower holder vertically and horizontally shower hose $1/2 \times 1/2 \times 1$ inch x 1500 mm with fixing kit swivel head shower connection hose mixer to dual shower 1/2 x 1/2 inch x 800






RAK48002

Dual shower system L-shape L = 1160 mm wall fastening hand / head shower two way ceramic divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder with fixing kit shower hose 1/2 x 1/2 inch x 1500 mm swivel head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm







Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 4S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1500mm with fixing kit swivel Round head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm



RAK48001


Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel square head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm





RAK48007

Dual shower system L-shape L = 1160 mm wall fastening hand and head shower two way ceramic divertor with easy open 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1500mm with fixing kit swivel head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm





RAK48010 *

Dual shower system L-shape L = 960 mm





RAK48011*

Dual shower system L-shape L = 960 mm






Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel Round head shower connecting hose mixer to dual shower $1/2 \times 1/2$ inch x 800 mm







Available Finishes





RAK48043


Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel Square head shower connecting hose mixer to dual shower $1/2 \times 1/2$ inch x 800 mm







Available Finishes






RAK48040

Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder

shower hose 1/2 x 1/2 inch x 1500mm with fixing kit swivel Round head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm






RAK48041

Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm

with fixing kit swivel Square head shower 1100-1200 connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm






SWING ACCESSORIES



RAK20001


Single towel bar wall fastening with screws and dowels





RAK20008


Soap dish with glass wall fastening with screws and dowels





RAK20003


Towel ring wall fastening with screws and dowels





RAK20015


Paper roll holder wall fastening with screws and dowels





RAK20004


Paper holder wall fastening with screws and dowels





RAK20020


Towel shelf with towel bar wall fastening with screws and dowels





RAK20005

Robe Hook wall fastening with screws and dowels








RAK20007

Tumbler holder with glass wall fastening with screws and dowels





PACIFIC ACCESSORIES



RAK28001


Single towel bar 600mm wall fastening with screws and dowels





RAK28007


Tumbler holder with glass wall fastening with screws and dowels





RAK28003


Towel ring wall fastening with screws and dowels





RAK28008


Soap dish with glass wall fastening with screws and dowels





RAK28004


Paper holder with adjustable guide plate wall fastening with screws and dowels





RAK28032


Toilet brush holder wall fastening with screws and dowels with container glass with brush





RAK28015


Paper roll holder wall fastening with screws and dowels





RAK28033


Wall mounted soap dispenser 150 ml wall fastening with screws and dowels






RAK28005

Robe Hook wall fastening with screws and dowels






Single towel bar wall fastening with screws and dowels




RAK25002

Soap basket wall fastening with screws and dowels




RAK25003

Towel Ring wall fastening with screws and dowels




RAK25004


Paper holder with adjustable guide plate wall fastening with screws and dowels



RAK25005


Double Robe Hook wall fastening with screws and dowels





RAK25006


Soap /Sponge basket wall fastening with screws and dowels






RAK25007

Tumbler Holder wall fastening with screws and dowels




Soap Dish Glass wall fastening with screws and dowels with a bowl of glass



RAK25014


RAK25008

Double tumbler holder, glass wall fastening with screws and dowels




RAK25015

Extra Paper Roll holder wall fastening with screws and dowels



RAK25032


Toilet Brush Holder wall fastening with screws and dowels with container glass with brush








Single towel bar wall fastening with screws and dowels





RAK26003


Towel Ring wall fastening with screws and dowels





RAK26004


Paper holder with adjustable guide plate wall fastening with screws and dowels





RAK26005

Robe Hook wall fastening with screws and dowels





RAK26007

Tumbler Holder wall fastening with screws and dowels








RAK26008


Soap Dish Glass wall fastening with screws and dowels with a bowl of glass





RAK26015


Paper Roll Holder wall fastening with screws and dowels





RAK26011


Double Towel Bar wall fastening with screws and dowels





RAK26032

Toilet Brush Holder wall fastening with screws and dowels with container glass with brush






RAK26033

Wall Mounted Soap Dispensor, glass - 175 ml wall fastening with screws and dowels






Single towel bar wall fastening with screws and dowels





RAK23001


Single towel bar wall fastening with screws and dowels





RAK23003


Towel ring wall fastening with screws and dowels





RAK23004


Paper holder wall fastening with screws and dowels with fixed guide plate





RAK23005


Robe hook wall fastening with screws and dowels





RAK23007


Brass tumbler holder, glass wall fastening with screws and dowels with transparent glass





RAK23008


Brass soap dish, glass wall fastening with screws and dowels with transparent glass





RAK23002


Soap basket wall fastening with screws and dowels






RAK23006

Soap /Sponge basket wall fastening with screws and dowels






Single towel bar wall fastening with screws and dowels with square bar



5

RAK24001


Single towel bar wall fastening with screws and dowels with square bar





RAK24003


Towel ring wall fastening with screws and dowels





RAK24004


Paper holder wall fastening with screws and dowels





RAK24015


Extra Paper Roll holder wall fastening with screws and dowels





RAK24005


Robe hook wall fastening with screws and dowels






RAK24025

Double Robe hook wall fastening with screws and dowels




RAK24007

Tumbler holder glass wall fastening with screws and dowels




RAK24008

Soap dish glass wall fastening with screws and dowels with a bowl of glass




RAK24033

Wall mounted soap dispenser, glass - 225 ml wall fastening with screws and dowels




RAK24013

Glass shelf wall fastening with screws and dowels




RAK24010

Brass Towel shelf wall fastening with screws and dowels



RAK24032

Toilet brush holder wall fastening with screws and dowels








Single towel bar wall fastening with screws and dowels





RAK21001


Single towel bar wall fastening with screws and dowels





RAK21003


Towel ring wall fastening with screws and dowels





RAK21031


Towel ring wall fastening with screws and dowels





RAK21004


Paper holder wall fastening with screws and dowels with adjustable guide plate





RAK21005


Robe hook wall fastening with screws and dowels





RAK21008


Soap dish, glass wall fastening with screws and dowels with a bowl of crystal glass





RAK21007


Tumbler holder, glass wall fastening with screws and dowels





RAK21014


Double tumbler holder, glass wall fastening with screws and dowels





RAK22009


Wall mounted soap dispenser, brass - 150 ml wall fastening with screws and dowels





RAK21033


Wall mounted soap dispenser, glass - 200 ml wall fastening with screws and dowels





RAK21002

Soap basket wall fastening with screws and dowels






RAK21006

Soap / sponge basket wall fastening with screws and dowels





Soap basket corner wall fastening with screws and dowels



RAK21013


Glass shelf wall fastening with screws and dowels





RAK21012


Double towel bar adjustable with adjustable two arm wall fastening with screws and dowels





RAK21011

Double towel bar wall fastening with screws and dowels





RAK21009


Bath grab bar wall fastening with screws and dowels





RAK21032


Toilet brush holder, glass wall fastening with screws and dowels with container glass with brush





RAK21015

Extra paper roll holder wall fastening with screws and dowels





RAK21010


Towel shelf wall fastening with screws and dowels





RAK21020

Towel shelf with towel bar wall fastening with screws and dowels





RAK21021

CALIBER Bathroom accessories, 6 piece set



RAK21022

PROJECT Bathroom accessories, 6 piece set



RAK27021

PEARL Bathroom accessories, 5 piece set

ESSENTIAL **ACCESSORIES**



RAK32002

Brass Shattaf with supreme hose & wall bracket Connection 1/2 inch with supreme hose G1/2 x G 1/2 x 1200mm with wall braket with dirt catching sieve







Available Finishes



RAK32107

ABS Shattaf with hose & wall bracket Connection 1/2 inch SS hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve braided pull out anti explosive hose



RAK32007

ABS chrome Shattaf with hose & wall bracket Connection 1/2 inch SS hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve braided pull out anti explosive hose



RAK32008

ABS Black Shattaf with black hose & wall bracket Connection 1/2 inch black hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve



RAK32009

ABS White Shattaf with hose & wall bracket Connection 1/2 inch SS hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve braided pull out anti explosive hose



Spray stream

by Neoperl

Germany




Aerator key for

easy clean









Stainless steel braided pull out anti-explosive hose



RAK3200701

ABS chrome Shattaf with Ceramic Shut-off valve Connection 1/2 inch Supreme hose G1/2 x G 1/2 x 1200mm with dirt catching sieve protected against back flow





RAK3200702

ABS chrome Shattaf with Concealed single lever mixer, pre installation kit DN15 Connection 1/2 inch Supreme hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve protected against back flow







Available Finishes





RAK3200703

ABS chrome Shattaf with Single lever shattaf mixer DN 15 ceramic cartridge-K35 shower outlet G 1/2" Supreme hose G1/2 x G 1/2 x 1200mm S- unions 1/2 X 3/4 inch European standard- EN 817









Available Finishes



ESSENTIAL **ACCESSORIES**













RAK14013

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating







Available Finishes


RAK13013

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating





Available Finishes




RAK12018

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating






Available Finishes




RAK11014

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating




RAK10018

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating



RAK12019

brass angle valve 1/4 turn double handle double control ceramic disc fitting outlets G1/2"XG1/2" smooth turn on and off handle working pressure 7 bar maximum





RAK33001

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette



RAK33002-01

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button S.S rosette



RAK33003

Brass long angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette



RAK33004

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette




RAK33006


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette





RAK33008


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette












ESSENTIAL **ACCESSORIES**




RAK22007

Click clack waste fitting with Over flow Hole Click Clack Waste Fitting 1¼"



RAK22007UK

Click clack waste fitting with Over flow Hole Click Clack Waste Fitting 1¼"








Available Finishes



RAK22025UK

Click clack waste fitting without Over flow hole Click Clack Waste 11/4"








Available Finishes



RAK22015

PVC bottle trap 1 1/4" Inlet pipe- G 1 1/4" x 32mm with outlet tube Ø40 x 200mm with wall flange






RAK1010505

Brass chrome bottle trap 1 1/4 " G 1 1/4" x 32 mm with outlet tube 32 x 200 mm with wall flange


Available Finishes






RAK1002005

BOTTLE TRAP 1 1/4" X 32 MM, ROUND










RAK1020505

Bottle Trap 1 1/4" X 32 MM, square






Available Finishes



RAK1025005


Ideal P-Trap G 1 1/4" x 32 mm G 1 1/4" x 32 mm adjustable drain pipe up to 70 mm with outlet bend 32 x 220 mm with wall flange





RAK1026005


Brass P-Trap G1. 1/4 x 32mm for basin





RAK22023

Brass chrome floor drain Floor drain (150x150mm) with heavy steel mesh











Available Finishes





RAK22029


Stainless steel floor drain Floor drain (150x150mm) With heavy steel mesh





RAK22024

Stainless steel floor drain Floor drain (200x200mm) With heavy steel mesh






Supreme Hose with conical nut G1/2 x 1/2 inch x 1200mm






Available Finishes



RAK22018


AGGRAF HOSE-G1/2"x1/2"x1200mm





RAK22046


Pull out anti explosive hose with S.S braided G1/2" x G1/2" x 1200 mm





RAK22048


Logo Flex hose G 1/2" x 1/2 " x 1200 mm





RAK22028


Flex feeding hose G 1/2" x 1/2 " x 300 mm





RAK22008


Flex feeding hose G 1/2" x 1/2 " x 500 mm





RAK6210121


Acrylic soap dish (for wall bar)





RAK22070


Click Clack Waste Fitting size 1 1/2 inch easy to install push down pop up





RAK22071

Click clack bathtub drain G1 1/2 domestic waste water push down pop up using with finished product easy to install maintenance free cleaning made easy ordour proof indoor size 1 1/2 inch










Available Finishes



RAK22042


Brass Exposed shower Pipe






FlexRed WC

EN 14055 Discharge volume 3/6L Appropriate For Dry Wall Installation And Brick Wall Installation with two WC fixing bolts Completely preassembled in the factory Water tank capacity 10 L max. Tank depth 80 mm (Overall thickness including frame 100 mm) Mechanical Dual Flush Water supply connection top right G 1/2 Male Acoustic Class (1st Class) EN 14124 Inlet Valve Water flow pressure 0.3 MPa (3 bar) / Max Vol : 9.0 dB,Flow rate: 9L/min Impact Copolymer special PP Body. (High resistance toimpact and thermal shock) insulation in front of the body for a better acoustic level and to prevent condensation Powder coated, tubing profile thick (30 mm x 40 mm) metal frame WC hanging rods can bear up to 400 kgs. (Adjustable for 18 or 23 cm axial distance of toilet bowls and 115cm to 139cm vertical)



FlexBasic

CISTERN (For Floor Mounted WC Pans - Dual Flush) Tank depth 80 mm Discharge volume 3/6L Water supply connection top right G 1/2 Male






RAK80010

FlexPlate

Dual flush push plate Material: ABS Plastic dimensions: 227x167 mm Available Finishes








RAK80001

FlexRed Bidet


Wall-Hung bidet / WC frame Higher strenghth including hot/cold adjustable WATER CONNECTORS steel frame, reinforced PVC outlet pipe Forged brass water connector





RAK80002

Acoustic Class (1st Class)







150 KLUDI RAK

KLUDI RAK operates under international certifications that demonstrate its dedication to manufacturing quality products

DVGW CERTIFICATE GmbH is the largest gas and water industry certification body in Europe, covering all the certification procedures equired in the gas and water sectors. The main objective of all certification work is to ensure that there are no safety, hygiene or environmental objections to the products and companies certified. The DVGW CERT certification system ensures proven quality and safety on the basis of the DVGW standards and other recognized technical standards and test specifications.

ISO 9001:2015 is the international standard that specifies requirements for a quality management system (QMS). Organizations use the standard to demonstrate the ability to consistently provide products and services that meet customer and regulatory requirements. ISO 9001:2015 is based on the plan-do-checkact methodology and provides a process-oriented approach to documenting and reviewing the structure, responsibilities, and procedures required to achieve effective quality management.

SASO Quality Mark is an important means to guide consumers to products that conform to Saudi Arabian standards. Through the Quality Mark, products gain customers' satisfaction and trust.

Emirates Green Building Council (EmiratesGBC) was formed in 2006, with the goal of advancing green building principles for protecting the environment and ensuring sustainability in the United Arab Emirates.

SONCAP The Standards Organisation of Nigeria (SON) is the apex standardization body in Nigeria.

WRAS is a subscription membership company limited by guarantee and was incorporated on 4 August 2008. The purpose of WRAS is to contribute to the protection of public health by preventing contamination of public water supplies and encouraging the efficient use of water by promoting and facilitating compliance with the Water Supply (Water Fittings) Regulations and Byelaws.

Emirates Authority for Standardization and Metrology (ESMA) was established as the sole Standardization Body in the UAE. The body issues conformity certificate for Water Fixtures Products complying with the UAE Assessment Scheme (ECAS) according to the technical requirements of the cabinet resolution No. 43 for the year 2014.

ADQCC Abu Dhabi Quality and Conformity Council is an Abu Dhabi government entity established in accordance with Local Law No. (3) of 2009 to raise the quality of Abu Dhabi's exports and products traded locally. QCC consists of a council of regulators and industry with a mandate to ensure provision of quality infrastructure in line with global standards.


Supplier Certificate from UAE Ministry of Infrastructure Development

WATER EFFICIENCY COMPLIANCE

KLUDI RAK's products have been issued with the Water Efficiency Label from SASO Water Efficiency Labeling Programme of Saudi Arabia, Emirates Authority for Standardization and Metrology (ESMA) of the UAE and Egyptian Organization For Standardization & Quality (EOS) of Egypt. KLUDI RAK is amongst the first companies to have 5-star ratings from ESMA and A-grade ratings from SASO for its products.

























ADDITIONAL PRODUCT REFERENCE CODES

FOR BASIN/ BIDET/ SINK MIXERS				
RAKXXXXX	3/8" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN			
RAKXXXXX-01	1/2" HOSE CONNECTION - FLOW RATE 6 LTR/MIN			
RAKXXXXX-03	1/2" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN			
RAKXXXXX-04	3/8" HOSE CONNECTION - FLOW RATE 6 LTR/MIN			
RAKXXXXX-31	1/2" HOSE CONNECTION - FLOW RATE 1.9 LTR/MIN			
RAKXXXXX-32	1/2" HOSE CONNECTION - FLOW RATE 3 LTR/MIN			
RAKXXXXX-09	1/2" HOSE CONNECTION - FLOW RATE 3.8 LTR/MIN			
RAKXXXXX-33	1/2" HOSE CONNECTION - FLOW RATE 5 LTR/MIN			
RAKXXXXX-37	1/2" HOSE CONNECTION - FLOW RATE 0.6 LTR/MIN			
FOR SHOWER MIXERS HAND SHOWER & OVERHEAD SHOWER				
RAKXXXXX	FLOW RATE 15 ≥ LTR/MIN			
RAKXXXXX-21	FLOW RATE 9 LTR/MIN			
RAKXXXXX-22	FLOW RATE 7 LTR/MIN			

FOR BATH MIXER					
RAKXXXXX	FLOW RATE 22 ≥ LTR/MIN				
RAKXXXXX-86	FLOW RATE 9 LTR/MIN				
RAKXXXXX-87	FLOW RATE 8 LTR/MIN				
RAKXXXXX-88	FLOW RATE 6 LTR/MIN				
COUNTRY CODES					
RAKXXXXXEG	EGYPTIAN STANDARD				
RAKXXXXXAD	ADQCC STANDARD				
RAKXXXXXSA	SASO STANDARD				
AVAILABLE FINISHES					
RAKXXXXX.GD1	GLOSSY GOLD	©			
RAKXXXXX.RG1	GLOSSY ROSE GOLD	©			
RAKXXXXX.BK1	GLOSSY BLACK	•			

CREATE YOUR PRODUCT CODE

PRODUCT CODE	IMAGE	FINISH	FLOW RATE
RAK16000-09		CHROME	3.8LTR/MIN
RAK16000-33.GD1	V	GOLD	5 LTR/MIN
RAK16000-31.RG1		ROSE GOLD	1.9 LTR/MIN
RAK16000-09.BK1	~	BLACK	3.8 LTR/MIN

CARE INSTRUCTIONS

Congratulations on choosing the best bathroom fittings for your needs!

In order to ensure the long life of your Kludi RAK products, please follow the enlisted care and cleaning instructions.

- Clean the surface to prevent accumulation of dirt and lime scale
- For daily cleaning use neutral cleaners and water
- For removing strong lime scale use cleaners with citric acid base
- Use cleaning agents specially developed for fittings
- Cleaning sprays should first be sprayed on a soft cloth and then the cloth should be used to clean the fittings. Do not spray them directly on the surface of the fitting.
- · The amount of cleaning agent used should be just sufficient to remove the dirt and lime scale. Do not use excessive quantities. Also, do not let the cleaning agent stay on the surface for longer time than
- · After using the cleaning agent, rinse the fitting with sufficient water to remove it and then polish with a soft cloth.

The chrome plating on the surface of the fitting is a result of a lot of chemical reactions. Strong cleaners and bleach can alter the effects of these reactions and cause significant damage to the surface and void the warranty. In any case do not use any of the following to clean the fittings:

- Abrasive cleaning materials, pads, scourers etc.
- · Cleaning agents with volatile acids like hydrochloric or acetic acid
- Scouring powders or abrasive cleaning fluids
- Cleaning agents containing bleach such as Clorox.

Cleaning the fittings after each use helps retain their value!



"We Stand for Water Saving




WE STAND FOR WATER SAVING

kludirak.com

KLUDI RAK

"We Stand for Water Saving"



Post Box : 6679, Ras Al Khaimah, United Arab Emirates, Tel : +971 7 204 8111 , Fax : +971 7 244 7759

